

Price List 2026

Mechanical locking systems

International

Connect people. Create access.

Special notes

- → The prices detailed in this price list are in euro per item, unless stated otherwise.
- → Prices for cylinders do not include keys
- → Our cylinders (profile cylinders, special cylinders, door lock and furniture lock cylinders) are made of solid brass.
- → **For orders for the addition of cylinders to existing locking systems, single locks and standard profile (NP), an order fee of €35.00 net will be charged. Replacement key orders are not affected.**

To enable CES to process your orders efficiently and punctually, we reserve the right to act as follows:

- → For orders of double cylinders that do not carry a unique article number, we will supply standard double cylinders of art. no. 810.
- → For orders of single cylinders that do not carry a unique article number, we will supply standard single cylinders of art. no. 851 1/2.
- → For orders of knob cylinders that do not carry a unique article number, we will supply standard knob cylinders, art. no. 815, knob H, NiRO finish.
- → For orders of cam cylinders that do not carry a unique article number, we will supply standard cam cylinders, art. no. 5558/30.
- → For orders of profile cylinders in which a specific finish is not specified, the 'brass, matt nickel-plated' finish (MMVG) will be supplied. Special finishes are listed on page 10 and in the product catalogue on page 99.
- → For orders of normal profile cylinders that do not include a clear indication of the number of keys, three keys will be made, supplied and invoiced per cylinder.
- → Prices are subject to change. We reserve the right to charge for our products at the current market rate.
- → With the publication of this price list, effective from 01 January 2026, all earlier price lists cease to have effect.
- → The prices quoted in this list are non-binding recommended prices.
- → VAT is charged separately at the statutory rate.
- → Printing errors, mistakes, technical and visual alterations excepted.
- → Classifications and certificates can be provided on request.

You can also place orders via our web shop
https://webshop.ces.eu

Table of contents

Special notes	2
Order example and key to abbreviations	4
Table of prices by locking system and product group	5
Extensions	6
Keys	8
Finishes	9
Knobs	10
Drill and anti-pulling protection and dust protection	13
Repairs	14
Notes	15
Special functions	16
Important information on use and maintenance	18
Product liability	19
General Terms of Delivery and Payment	20

Order example

815/140 in DU System; length 27.5 mm/40.5 mm; finish C690;

DC + System (DU)	42,00 €
Special function: /140 = price category 1	12,00 €
Extension 1 x 2,40 €	2,40 €
Finish option: C690 = price category 2	24,20 €
5 Single keys (with cylinder) = 5 × 7,50 €	37,50 €
Total Price	**118,10 €**

Key to abbreviation

Abbreviation	 **DC**	 **HC**	 **KNC**	 **PL**	 **SFIC**	 **CC**	 **CWL**
Product group	Double cylinder	Single cylinder	Knob cylinder	Padlock	Small Format Interchange-able Core	Cam cylinder for door	Cylinder without locking function

Abbreviation	 **IDC**	 **ICC**	 **IHC**	 **IKNC**
Product group	International double cylinder	International cam cylinder	International single cylinder	International knob cylinder

A full listing of all our products can be found in the product catalogue at www.ces.eu/en_us/downloads.html.

Table of prices by locking system and product

	System	DC	HC	KNC	PL	CC	CWL	RC	IDC	ICC/SFIC	IHC	IKNC
	DU/SP/ PXM	42,00 €	37,00 €	51,00 €	75,00 €	70,00 €	35,00 €	100,00	80,00 €	63,00 €	68,00 €	89,00 €
	TDU/KB/ KM	53,00 €	47,00 €	63,00 €	75,00 €	70,00 €	35,00 €	100,00	100,00 €	80,00 €	85,00 €	111,00 €
Reversible key systems	**WD/DM/ WM**	82,00 €	72,00 €	98,00 €	90,00 €	85,00 €	35,00 €	115,00	156,00 €	125,00 €	132,00€	172,00 €
	WO/WZ	64,00 €	56,00 €	75,00 €	90,00 €	85,00 €	35,00 €	115,00	120,00 €	95,00 €	102,00€	172,00 €
Conventional customer profile	**UDM+/ DU+**	48,00 €	42,00 €	57,00 €	75,00 €	70,00 €	35,00 €	100,00	90,00 €	72,00 €	76,00 €	100,00 €
	UDM	43,00 €	37,00 €	51,00 €	75,00 €	70,00 €	35,00 €	100,00	80,00 €	63,00 €	68,00 €	89,00 €
	PSM	37,00 €	33,00 €	44,00 €	75,00 €	70,00 €	35,00 €	100,00	70,00 €	54,00 €	60,00 €	79,00 €
Rev. key systems customer profile	**RHM**	64,00 €	56,00 €	75,00 €	90,00 €	85,00 €	35,00 €	115,00	120,00 €	95,00 €	102,00€	133,00 €
	RBM	53,00 €	47,00 €	63,00 €	90,00 €	85,00 €	35,00 €	115,00	100,00 €	80,00 €	85,00€	111,00 €
	WSM	58,00 €	51,00 €	69,00 €	90,00 €	85,00 €	35,00 €	115,00	110,00 €	90,00 €	93,00 €	121,00 €
Standard profile	**B5**	20,00 €	16,00 €	30,00 €	75,00 €	70,00 €	20,00 €	100,00	77,00 €	62,00 €	64,00 €	85,00 €
	NP	17,00 €	15,00 €	21,00 €	75,00 €	70,00 €	13,00 €	100,00	33,00 €	25,00 €	28,00 €	36,00 €
	NPR	22,00 €	19,00 €	26,00 €	75,00 €	70,00 €	17,00 €	100,00	41,00 €	32,00 €	34,00 €	45,00 €

Price does not include keys.

Extensions

Extensions up to 111 mm (5 mm increments) with/without locking function	2,40 €
Extensions greater than 111 mm (5 mm increments) with/without locking function	4,00 €

Length A (internal)	Length B (external)	Overall length	x	Price 5-pin	x	Price 6-pin	x	Price 7-pin
27.5	27.5	55	0					
27.5	31.5	59	0					
27.5	35.5	63	0					
27.5	40.5	68	1	2,40 €				
27.5	45.5	73	2	4,80 €				
27.5	50.5	78	3	7,20 €				
27.5	55.5	83	4	9,60 €				
27.5	60.5	88	5	12,00 €				
27.5	65.5	93	6	14,40 €				
27.5	70.5	98	7	16,80 €				
27.5	75.5	103	8	19,20 €				
27.5	80.5	108	9	21,60 €				
31.5	31.5	63	0		0			
31.5	35.5	67	1	2,40 €	1	2,40 €		
31.5	40.5	72	2	4,80 €	2	4,80 €		
31.5	45.5	77	3	7,20 €	3	7,20 €		
31.5	50.5	82	4	9,60 €	4	9,60 €		
31.5	55.5	87	5	12,00 €	5	12,00 €		
31.5	60.5	92	6	14,40 €	6	14,40 €		
31.5	65.5	97	7	16,80 €	7	16,80 €		
31.5	70.5	102	8	19,20 €	8	19,20 €		
31.5	75.5	107	9	21,60 €	9	21,60 €		
35.5	35.5	71	2	4,80 €	2	4,80 €	0	
35.5	40.5	76	3	7,20 €	3	7,20 €	1	2,40 €
35.5	45.5	81	4	9,60 €	4	9,60 €	2	4,80 €
35.5	50.5	86	5	12,00 €	5	12,00 €	3	7,20 €
35.5	55.5	91	6	14,40 €	6	14,40 €	4	9,60 €
35.5	60.5	96	7	16,80 €	7	16,80 €	5	12,00 €
35.5	65.5	101	8	19,20 €	8	19,20 €	6	14,40 €
35.5	70.5	106	9	21,60 €	9	21,60 €	7	16,80 €
35.5	75.5	111	10	24,00 €	10	24,00 €	8	19,20 €



Extensions

Length A (internal)	Length B (external)	Overall length	x	Price 5-pin	x	Price 6-pin	x	Price 7-pin
40.5	40.5	81	4	9,60 €	4	9,60 €	2	4,80 €
40.5	45.5	86	5	12,00 €	5	12,00 €	3	7,20 €
40.5	50.5	91	6	14,40 €	6	14,40 €	4	9,60 €
40.5	55.5	96	7	16,80 €	7	16,80 €	5	12,00 €
40.5	60.5	101	8	19,20 €	8	19,20 €	6	14,40 €
40.5	65.5	106	9	21,60 €	9	21,60 €	7	16,80 €
40.5	70.5	111	10	24,00 €	10	24,00 €	8	19,20 €
45.5	45.5	91	6	14,40 €	6	14,40 €	4	9,60 €
45.5	50.5	96	7	16,80 €	7	16,80 €	5	12,00 €
45.5	55.5	101	8	19,20 €	8	19,20 €	6	14,40 €
45.5	60.5	106	9	21,60 €	9	21,60 €	7	16,80 €
45.5	65.5	111	10	24,00 €	10	24,00 €	8	19,20 €
50.5	50.5	101	8	19,20 €	8	19,20 €	6	14,40 €
50.5	55.5	106	9	21,60 €	9	21,60 €	7	16,80 €
50.5	60.5	111	10	24,00 €	10	24,00 €	8	19,20 €
55.5	55.5	111	10	24,00 €	10	24,00 €	8	19,20 €

Keys

	Key	Single key (with cylinder)	Grand/Masterkey (G/MK)	Single key (replacement)	Key blank
Conventional key systems	**DU**	7,50 €	23,00 €	20,00 €	
	TDU/KM/KB	9,00 €	23,00 €	20,00 €	
	SP/PXM*	5,50 €	23,00 €	20,00 €	*4,80 €
Reversible key systems	**WD/DM**	10,00 €	23,00 €	20,00 €	8,50 €
	WO/WZ	7,50 €	23,00 €	20,00 €	
	WM	8,50 €	23,00 €	20,00 €	
Conventional customer profile	**UDMplus**	8,50 €	23,00 €	20,00 €	7,50 €
	UDM	7,50 €	23,00 €	20,00 €	5,00 €
	PSM	5,50 €	23,00 €	20,00 €	4,80 €
Rev. key systems customer profile.	**RHM**	7,80 €	23,00 €	20,00 €	6,50 €
	RBM	7,50 €	23,00 €	20,00 €	6,50 €
	WSM	7,50 €	23,00 €	20,00 €	5,50 €
Standard profile	**B5**	4,00 €		7,00 €	2,00 €
	NP	1,70 €		5,95 €	1,50 €
	NPR	3,00 €		6,30 €	2,25 €

Options

Finishes

No.	Abbrevia-tion	Designation	Price category
01	MMVG	Brass, matt nickel-plated	Standard
02	MMGB	Matt brass, brushed	1
03	MPOL	Polished brass	1
04	MMCR	Matt chrome-plated, velour	1
05	MPCR	Polished chrome	1
06	MPV	Polished nickel-plated	1
07	MBR	Brass burnished	3
08	MALT	Old German brass	3
15	MBRD	Dark burnished	3
16	MBRH	Light burnished	3
17	MANT	Antique brass	3
18	KANT	Antique copper	3
19	C520	Rustic umber laquered	2
20	MVGE	Matt nickel-plated, protective	1
22	MMSW	Brass, black finish	3
23	M_SS	Brass, stainless steel finish	1
24	F79	Brass oil rubbed	2
30	MPOU	Brass polished unlaquered	1
31	MMVB	Matt nickel-plated, brushed	Standard
33	MGCR	Matt chrome-plated, brushed	1
36	MESN	Brass unlacquered	On request
37	C690	Midnight black – unicolour	2
38	C692	Midnight black – bicolour	2
39	C680	Dusk grey – unicolour	2
40	C682	Dusk grey – bicolour	2
41	C670	Moonlight silver – unicolour	2
42	C672	Moonlight silver – bicolour	2
43	C660	Dawn bronze – unicolour	2
44	C662	Dawn bronze – bicolour	2
45	C650	Rising bronze – unicolour	2
46	C652	Rising bronze – bicolour	2
47	C640	Sunset bronze – unicolour	2
48	C642	Sunset bronze – bicolour	2
49	MGV	Matt nickel-plated, velour	1
50	C510	Pebble grey – unicolour	2
51	C500	White RAL 9016 – unicolour	2

Price category 1	Price category 2	Price category 3
9,00 €	22,00 €	25,00 €

Options

Knob shapes

	Designation
	H
	A
	CR
	CT
	E
	ET
	F

	Designation
	FL
	HH
	J
	L

Options

Finishes and knobs

Price category 1	Price category 2
9,00 €	19,00 €

Finish code		Knob type	Knob code		Price category
MMVG	+	H	H/NF	=	Standard
			H/NG	=	Standard
		CT	UKNG	=	2
		ET	ETNG	=	2
		CR	CRNG	=	1
		E	E/NF	=	2
		A	A/NF	=	2
		HH	HHNF	=	2
		ES	ESNF	=	2
		EH	EHNF	=	2
MMVB	+	H	H/NG	=	Standard
		CT	UKNG	=	2
		ET	ETNG	=	2
		CR	CRNG	=	1
		E	E/NG	=	2
		A	A/NG	=	2
MMGB	+	H	H/MG	=	1
		CT	UKMG	=	2
		ET	ETMG	=	2
		CR	CRMG	=	1
MPOL	+	H	H/MP	=	1
		CT	UKMP	=	2
		ET	ETMP	=	2
		CR	CRMP	=	1
MPOU	+	H	H/MU	=	1
		CT	UKMU	=	2
		ET	ETMU	=	2
		CR	CRMU	=	1
MESN	+	H	H/MN	=	2
		CT	UKMN	=	2
		ET	ETMN	=	2
		CR	CRMN	=	2

Finish code		Knob type	Knob code		Price category
MMCR	+	H	H/MC	=	2
		CT	UKMC	=	2
		ET	ETMC	=	2
		CR	CRMC	=	2
MPCR	+	H	H/PC	=	2
		CT	UKPC	=	2
		ET	ETPC	=	2
		CR	CRPC	=	2
MGCR	+	H	H/CG	=	2
		CT	UKCG	=	2
		ET	ETCG	=	2
		CR	CRCG	=	2
MPV	+	H	H/PV	=	1
		CT	UKPV	=	2
		ET	ETPV	=	2
		CR	CRPV	=	2
M_SS	+	H	H/EF	=	1
		H	H/NI	=	2
		CT	UKEF	=	2
		ET	ETEF	=	2
		CR	CREF	=	2
MGV	+	H	H/MV	=	1
		CT	UKMV	=	2
		ET	ETMV	=	2
		CR	CRMV	=	1
MVGE	+	H	H/GE	=	1
		CT	CTGE	=	2
		ET	ETGE	=	2
		CR	CRGE	=	2
MALT	+	H	H/AD	=	2
		CT	UKAD	=	2
		ET	ETAD	=	2
		CR	CRAD	=	2



Options

Finishes and knobs

Price category 1	Price category 2
9,00 €	19,00 €

Finish code		Knob type	Knob code		Price category
MANT	+	H	HMAN	=	2
		CT	UKMA	=	2
		ET	ETMA	=	2
		CR	CRMA	=	2
MBRH	+	H	H/BH	=	2
		CT	UKBH	=	2
		ET	ETBH	=	2
		CR	CRBH	=	2
MBR	+	H	H/BÜ	=	2
		CT	UKBÜ	=	2
		ET	ETBÜ	=	2
		CR	CRBÜ	=	2
MBRD	+	H	H/BD	=	2
		CT	UKBD	=	2
		ET	ETBD	=	2
		CR	CRBD	=	2
	+	H	H/SG	=	2
		CT	UKSW	=	2
		ET	ETSW	=	2
		CR	CRSG	=	2
F79	+	H	H/79	=	2
		CT	UK79	=	2
		ET	ET79	=	2
		CR	CR79	=	2
KANT	+	H	H/KAN	=	2
		CT	UKKA	=	2
		ET	ETKA	=	2
		CR	CRKA	=	2
C500/ C502/ C506	+	H	H/WL	=	2
		CT	UKWL	=	2
		ET	ETWL	=	2
		CR	CRWL	=	2
		E	E/WL	=	2

Finish code		Knob type	Knob code		Price category
C520	+	H	H/BB	=	2
		CT	UKBB	=	2
		ET	ETBB	=	2
		CR	CRBB	=	2
C640/ C642	+	H	H/64	=	2
		CT	UK64	=	2
		ET	ET64	=	2
		CR	CR64	=	2
		E	E/64	=	2
C650/ C652	+	H	H/65	=	2
		CT	UK65	=	2
		ET	ET65	=	2
		CR	CR65	=	2
		E	E/65	=	2
		A	A/65	=	2
C660/ C662	+	H	H/66	=	2
		CT	UK66	=	2
		ET	ET66	=	2
		CR	CR66	=	2
		E	E/66	=	2
		A	A/66	=	2
C670/ C672	+	H	H/67	=	2
		CT	UK67	=	2
		ET	ET67	=	2
		CR	CR	=	2
C680/ C682	+	H	H/68	=	2
		CT	UK68	=	2
		ET	ET68	=	2
		CR	CR68	=	2
C690/ C692	+	H	H/69	=	2
		CT	UK69	=	2
		ET	ET69	=	2
		CR	CR69	=	2
		E	E/69	=	2

Further finish variants on request

Options

Price category 1	Price category 2	Price category 3
5,00 €	10,00 €	25,00 €

Anti-drilling protection

Description	Price category single-sided	Price category double-sided
Anti-drilling protection Class 3 'BS3' (SKG**): 2 additional pins made of hardened steel per cylinder side	1	2
Anti-drilling protection Class 4 'BS4': For external doors at particular risk, 3 additional hardened metal pins per cylinder side and an anti-drilling protection plate	2	3
Anti-drilling and anti-pulling protection 'BZ1'(SKG***): 2 drilling plates, 1 hardened metal pin and one anti-drilling protection plate per cylinder side	2	3
Anti-drilling and anti-pulling protection 'BZ2': 2 drilling plates, 3 hardened metal pins and one anti-drilling protection plate per cylinder side	32,50 €	65,00 €
Anti-drilling and anti-pulling protection 'BZ3' (only available in DU and TDU system): Design the same as 'BZ2' with an additional spring-loaded locking element made of special hardened steel. The locking element performs a security query on the key profile and checks whether the profile rib with undercut is present.	On request	
Bump proof design	2	



BZ3: Active anti-drilling protection

Dust protection

Description	Price category single-sided	Price category double-sided
Profile cylinder with dust protection cap (not available with BZ2 or BZ3)	37,50 €	75,00 €
Padlock 215N/58 with dust protection cap	On request	

Special functions

Position	Function	Description	810	8710	8710F	851½	810½	815	5558	
1	/MO	Modular version	+	+		+		+		
2	F	Free wheel mode (FZG)			+					
3	G	Emergency key system	+			+		+		
4	/4	Knob cylinder, allen key with visual locked indicator								
5	/5	One side with locking function, other side blank			+					
6	/6	Universal lock								
7	/13	One side with knob, other side blank								
8	/14	With triangular shaft for fire service, M4/M6/M10						+		
9	/30	Cylinder length								
10	/30	Coin slot knob								
11	/30	Cylinder length								
12	/31	Profile insert, knob on one side, internal square spindle on other side								
13	/32	Round cylinder								
14	/33	Lifting cylinder								
15	/34	Double cylinder with internal square spindle (single-sided)								
16	/35	Rim cylinder for additional case lock								
17	/39-B5	360° turn	+					+		
18	/40	Key switch							+	
19	/41	With pinion	+	+			+	+		
20	/41-B5	90° turn						+		
21	/44	Locking/lever movement 360°/180°					+			
22	/51	Rear threaded hole M4				+				
23	/52	Lever movement 360°/90°, lever on left					+			
24	/53	Lever movement 360°/90°, lever on right					+			
25	/59	Caretaker/janitor function in conventional system	+			+				
26	/97	With core bore hole housing shortened 1 mm	+	+		+		+		
27	/103	Caretaker/janitor function in reversible key system				+				
28	/114	With core bore hole housing shortened 2 mm	+	+		+		+		
29	/122	Caretaker/janitor function in reversible key system	+							
30	/140	Anti-rampage function						+		
31	/141	Classroom function						+		
32	/1/14	Double cylinder, both sides with triangular key								
33	/3/14	Knob cylinder with triangular key								
34	/3/31	Double knob cylinder								
35	/3/33-B5	360° turn								
36	3/41-B5	90° turn								

Special functions

	30	802	802½	5808	5838	4177		Position	Price category
								1	2
								2	2
								3	1
		+						4	2
		+						5	1
		+						6	3
		+						7	2
								8	2
	+							9	3
		+						10	2
						+		11	2
				+				12	2
				+				13	2
	+							14	3
				+				15	2
	+							16	2
								17	2
					+			18	3
								19	3
								20	2
								21	On request
			+					22	2
								23	On request
								24	On request
								25	3
								26	2
								27	On request
								28	2
								29	On request
								30	1
								31	2
		+						32	3
		+	+					33	2
		+						34	3
			+					35	2
			+					36	2

Price category 1	Price category 2	Price category 3
12,00 €	22,00 €	65,00 €

Repairs

Description	Net price
Inspection of cylinders sent in incl. test report. **Up to 5 cylinders/keys**	89,00 €
Testing of cylinders sent in incl. test report. **Over 5 cylinders/keys**	On request

Security cards

Article number: SIKA	Net price
Replacement security card **Factory profile**	45,00 €

Article number: SK	Net price
Replacement security card **Customer profile**	45,00 €

Article number: SK	Net price
Security card per locking	3,00 €

Notes

Important information on use and maintenance

CES locking cylinders are high-quality products.
To ensure a high level of functionality and long service life, the following section will provide you with some advice on their use and maintenance that has proven effective in our own experience.



The cylinders of locking systems must be treated regularly – at least 2x per year – with the CES care products recommended by us.
All fine moving mechanical systems require lubrication.



No extra aids should be applied to the key head to increase the force.
Apart from nails, pliers, screwdrivers and the like, even the use of a keyring results in an excessive torque that is impermissible.



Damaged keys should no longer be used.
Bent or damaged keys and keys with deformed profiles and/or compressed key tips will damage the cylinder. Likewise, worn keys must be replaced at an early stage.



Do not use the key to pull a door open.
The key is not designed to replace the handle sets (knob, lever handle etc.) on access doors. Using the key as a handle for opening/closing the door constitutes improper use.



Under no circumstances may locking system cylinders be treated with graphite, oil or other resinous substances.
Use only cleaning agents that do not contain corrosive ingredients. Please use CES care products only.



The key must always be pulled out of the cylinder in a straight line.
The use of key chains and similar is problematic, since lateral forces often come into effect as you move away, even though the key has not been fully removed yet (care should also be taken with sliding doors and gates).



Never use force to insert a key into the cylinder.
If a key can no longer be easily inserted into the cylinder, the likely cause is damage to the key (key tip, profiling, etc.) and/or to the cylinder. The damaged components must be replaced immediately.



The key may only be turned in the cylinder once it has been fully inserted up to the end stop in the keyway.
Particular attention must be paid to knob cylinders and cylinders with an emergency function (8710) and an emergency key (810 G) as the components required in these cylinders may cause the key to be pushed back gently.

If the system includes an emergency key, please be aware that emergency keys are not intended for everyday use.

Using the emergency key as an ordinary key may damage the cylinder. As the emergency key locks almost all cylinders like a general main key, it should be stored in a secure place (e.g. a safe) and should only be used to open a locked door in which a key is inserted from the inside. It must then be noted that when turning the key it must be held at the end stop with a gentle pressure, as otherwise, it may fail to operate the cylinder and simply spin round and round because of its special design.

If your on-call, emergency or security service, etc. is to be given overall access authorisation, give them a general main key rather than an emergency key.

Please pass this information on to all persons to whom you issue keys and who are entrusted with the use and care of the master key system.

Failure to observe the advice above will release us from any warranty claims. Further information on product liability can be found on the following page.

Product liability

In accordance with the definition of the manufacturer's liability for their products, as defined in the German Product Liability Law (Produkthaftungsgesetz), the following information regarding locking cylinders must be observed. Failure to comply with this information will release us from our liability obligation.

1. Product information and intended use

For the purposes of this definition a locking cylinder is a generally replaceable component built into suitably designed locks, handle sets, devices, doors and other cognate products. Other types of locking cylinders should be treated analogously. To ensure proper use, at least 1 key is allocated to the locking cylinder.

Technical terms related to locking cylinders and master key systems, that are not explained in the following section, are explained/illustrated in the DIN 18252 and DIN EN 1303 standards. With reference to these terms and designations, the following must be observed to ensure the intended use:

1.1 Locking cylinders can only be fitted without reservation into locks, handle sets, devices, etc. if these locking cylinders are based on a dimension standard (e.g. DIN 18252 for profile cylinders) and such locks, handle sets, devices, etc. are specifically designed for locking cylinders based on this standard. In all other cases the manufacturer, dealer, installer or user of such locks, handle sets, devices, etc. must ensure that the selected locking cylinder is suitable for the installation and for the intended application. Mandatory legal provisions must be complied with. For example, no locking cylinders featuring a knob, rotary knob or similar handle element can be fitted into certain panic locks. Please observe the information provided by the lock manufacturer.

1.2 Locking cylinders that could be subjected to violent impacts may protrude by a maximum of 3 mm from the closely fitting protective handle. The appropriate level of burglar-resistant measures to be taken depends on the requirements set (see DIN 18252 or DIN EN 1303, for example).

1.3 Locking cylinders must be installed in such a way that no external forces can act on the locking cylinder other than the forces applied to the designated fixing points and during normal operation. Similarly, when the key is removed, no external forces must be transferred on to the locking cam in the swivel direction.

1.4 Locking cylinders intended for use in damp spaces or cold stores, exposed to direct weathering, in marine environments or for use in aggressive, corrosive environments, must be specified in special versions. The same applies to locking cylinders that are to be used in particularly dusty environments.

1.5 Generally, a profile cylinder with 2 locking sides cannot be actuated if there is already a key present in the opposite side of the cylinder. However, if this facility is required an appropriate locking cylinder must be selected.

1.6 If the key is used correctly, the rotating torque should only be applied to the key once the key is fully inserted into the keyway of the locking cylinder up to its end stop.

1.7 The locking cylinder and key form a functional unit. We only maintain our liability obligation for our original products.

1.8 The correct function of keys for locking cylinders that are supplied at a later date must be tested in the relevant locking cylinder immediately upon receipt.

2. Misuse

The misuse (i.e. use of the product other than for its intended purpose) of locking cylinders or keys occurs, for example, if:

2.1 An aid such as a nail, pliers, keyring or similar is attached to the key head to increase the rotational torque. In the interests of security against lock picking, the keyway and thus also the key shank are made so thin that the torque must only be transferred directly by hand to the key head.

2.2 The key is used as a handle for opening/closing the door leaf. The key is not designed to replace the handle sets (knob, lever handle, etc.) on access doors.

2.3 The locking cylinder is actuated using a forged, bent or damaged key.

2.4 Attempts are made to actuate the locking cylinder using opening tools, auxiliary tools or third-party replacement keys.

2.5 Foreign bodies are present in the keyway or on the key itself or if the maintenance instructions have not been observed.

2.6 Unauthorised combinations are made with third-party products such as motor actuators, special knobs or rim locks.

3. Product performance

Where the performance of a product is not explicitly stated in our catalogues, brochures, performance specifications, etc., the requirements of each locking cylinder must be agreed with us. In this case, the main guide will be the DIN 18252 standard: ‚Profile cylinders for door locks'. This standard sets out the basic requirements and additional requirements of profile cylinders with single-row pin tumblers. The content of this standard must be applied accordingly to other types of locking cylinders. The suitability for use of locking cylinders depends on factors such as the frequency of actuation, manner of actuation, environmental factors and maintenance. Locking cylinders and keys must be replaced as soon as faults start to occur, particularly when inserting or withdrawing the key, despite them being properly maintained.

4. Product maintenance

Locking cylinders should be treated with the care products recommended by us at least twice yearly – and more often based on their use. Locking cylinders must never be treated with resinifying substances such as oil. Only cleaning agents that contain no corrosive ingredients should be used.

5. Information and instruction obligations

To meet the information and instruction obligations arising from the German Product Liability Act (Produkthaftungsgesetz), the following documents and services are available to CEStronics partners, locksmiths, architects, planners, consultancies, installers and users:

- Catalogues, brochures
- Tender specifications, offer documents, locking plans
- DIN 18252 (sold exclusively by Beuth Verlag GmbH, Berlin 30, Germany)
- Installation, operation and maintenance manuals
- Advice provided by us or our field service team

When selecting locking cylinders and during installation, operation and maintenance:

5.1 Architects, planners and consultancies must request all necessary product information from us and observe it.

5.2 partners must observe all product information and other information provided in the price lists and in particular must request all necessary manuals from us and pass these on to the installers and users.

5.3 Installers must observe all product information and in particular must request operating and maintenance manuals from us and pass these on to clients and users.

General Terms of Delivery and Payment

1. Binding effect of the Terms

1.1. Any and all of our deliveries and services and any dependent or independent warranties to business entities, public law entities or special funds organized under public law shall now and in future be exclusively subject to the Terms stated below.

1.2. We expressly object to the applicability of any other terms – also for future business transactions – to the extent these are in conflict with our Terms unless we have expressly agreed in writing to such other terms as the basis of the respective contract. These General Terms of Delivery and Payment shall not apply to consumers (as defined in section 13 of the German Civil Code, BGB).

2. Object of the delivery/service

2.1. A legally binding contractual relationship with the orderer shall only commence when at our option we dispatch the ordered goods or have acknowledged the order in writing, which acknowledgement shall also be valid if made by telephone, e-mail or unsigned computerized message as long as our authorship is evident. The scope, kind and time of the delivery of goods or provision of services shall be governed by our acknowledgement of the order.

2.2. Any documents pertaining to the offer such as drawings, data sheets, figures, plans, etc. shall be of subordinate importance and shall only be authoritative for the contractual quality of the delivery or service to the extent they have been expressly identified as binding. Either contracting party shall use any documents (including but not limited to specimens, models, data) and information it obtains as part of the business relation solely for the jointly pursued purpose and shall maintain their secrecy visà-vis third parties with the same diligence as applied to its own documents and knowledge if the other contracting party has designated the same as confidential or has an obvious interest in their confidentiality. This obligation shall commence upon the initial receipt of the documents or knowledge and shall end thirty-six (36) months after the termination of the business relation. This obligation shall not apply to any documents and/or knowledge that are in the public domain or that at the time of their disclosure are already known to the other contracting party without any obligation to maintain their secrecy or that after their disclosure are made known to the other party by a third party authorized to disclose the same or that are independently developed by the receiving party without using any confidential documents or knowledge of the other contracting party.

2.3. We reserve the right to make design changes to the extent these are reasonable for the customer. Our catalogues and the information published on the Internet are continuously being updated. Any descriptions, figures and drawings included in these catalogues and on our web site are not binding and can neither be construed as a specification of quality nor as a warranty.

2.4. Make-and-hold orders (call-off orders) shall be placed in time and for the agreed partial quantities and the delivery of the ordered goods shall be accepted. In the case of make-and-hold orders without an agreement of term, manufacturing lot sizes and acceptance dates, we may demand a binding definition of the acceptance after the expiry of a period of three (3) months after our acknowledgement of the order. If the orderer fails to fulfil its obligation to accept delivery within three (3) weeks, we may set a final period of grace of two (2) weeks, and after the lapse of the extension granted may withdraw from the contract or refuse delivery and, subject to the satisfaction of the other statutory conditions, claim damages. Make-and-hold orders shall be valid for a maximum period of twenty-four (24) months as from the date of our acknowledgement of the order. After the expiry of that period, we may invoice the buyer for any goods not called off or for the materials stored at our premises with our cost and profit mark-ups.

3. Warranties

3.1. Warranties for the object of the delivery shall only be binding for us if they are expressly confirmed in the contract itself.

3.2. The accuracy of warranties contractually given by us shall exclusively refer to the quality and condition of the goods at the time of their delivery.

3.3. This warranty shall be no longer valid if the orderer or a third party makes improper modifications or repairs at our products and/or if replacement keys manufactured by a third party are used.

4. Prices and terms of payment

4.1. All list and catalogue prices are stated in euros and are subject to confirmation. The valid price shall be the price stated in our acknowledgement of the order. All prices are stated net and shall be valid for the delivery ex works without costs of packaging, transport and insurance (delivery charges). The applicable value added tax and the applicable delivery charges shall be charged additionally and shall be shown separately on the invoice. In the case of delivery periods of more than four (4) months, we shall charge the prices applicable at the date of the delivery and/or provision of the service.

4.2. Any bills of exchange will only be accepted upon separate agreement and only on account of performance and only if they can be discounted. Discounting charges shall be payable as from the due date of the invoice amount. Any warranty for the timely presentation of bills of exchange and cheques and for protesting shall be excluded.

4.3. Unless agreed otherwise, our invoices shall be payable without any deduction within fourteen (14) days as from the date of the invoice.

4.4. In the case of a delay in payment, we may charge default interest at the rate we are charged by our bank for overdrafts on current account, provided that the minimum default interest shall be eight (8) percentage points above the then applicable basic rate of interest rate. Upon written notice to the orderer we may also suspend the fulfilment of our obligations under other orders until receipt of the payments.

4.5. If we have delivered goods with a defect that is not disputed, the orderer shall nevertheless be obliged to make payment for the non-defective share, unless a partial delivery is of no interest to the orderer.

5. Shipping and insurance

5.1. Shipping shall always be made for the account and at the risk of the buyer. We will insure our consignments against all transport risks at a premium fee of 1 ‰ of the net goods value of the consignment. If the orderer does not desire such insurance, this shall be pointed out when the order is placed.

5.2. Upon receipt of a notice that goods are ready for shipping, the orderer shall take over these goods without delay. Otherwise, we may at our choice ship these goods or store them for the account and at the risk of the orderer.

5.3. Unless agreed otherwise, we shall select the means and route of transport.

5.4. The risk shall pass to the orderer upon delivery of the goods to the railway company, the forwarder or the carrier or, as the case may be, upon transfer of the goods into the storage, in any case, however, no later than at the time the goods leave the works or the storage. This shall also apply if we have taken over the shipping.

6. Delivery, delivery period, delivery obstacles

6.1. For all our deliveries, the agreed delivery period shall be considered to have been met if the respective goods are shipped or collected within this period. If the delivery is delayed for reasons for which the orderer is responsible, the delivery period shall be considered to have been met if the notice that the goods are ready for shipping is sent within this period. Reasonable partial deliveries shall be permitted and shall be invoiced separately. The delivery period shall commence with the sending of our acknowledgement of the order and shall extend accordingly if the conditions stated in item 15.6. (force majeure) are satisfied.

6.2. If the performance of our delivery obligations or part thereof is made impossible, delayed or rendered more difficult as a consequence of circumstances that cannot be averted by employing reasonable diligence, we may withdraw from the contract or extend the delivery period for the duration for which the impediment exists and no such withdrawal or extension shall give rise to a right to claim damages.

6.3. If we can foresee that the goods cannot be delivered within the delivery period, we shall promptly inform the orderer thereof in writing also stating the reasons of the delay and, if possible, the expected date of delivery. The orderer may only withdraw from the contract for this reason if we are responsible for the non-adherence to the date of delivery and a reasonable extension granted by the orderer has lapsed.

6.4. If after the conclusion of the contract, it becomes apparent that our claim for payment may be jeopardized by insufficient capability of the contractual partner, we may withhold the delivery and define an appropriate period in which the contractual partner has to pay concurrently

General Terms of Delivery and Payment

The Terms 64 Subject to technical changes without notice General Terms of Delivery and Payment (the "Terms") with delivery or provide security. If the contractual partner refuses or the period lapses without success, we may withdraw from the contract and claim damages.

7. Complaints, claims based on defects

7.1. Default claims by the orderer shall require that this party has duly complied with its investigation and complaint obligations owed pursuant to § 377 of the German Commercial Code (HGB). Defects in the delivery are to be notified without undue delay after they are discovered. In the event of non-timely, due notification of objections or defect complaints, defect claims shall be excluded to that extent.

7.2. If the delivered goods are defective, the orderer may at first only demand curing. We reserve the right to select the kind of cure – rectification of the defects (repair) or substitute delivery – and may change the kind of cure with each new curing attempt. We reserve the right to make design changes that are reasonable for the orderer.

7.3. The orderer shall only have a right to withdraw from the contract or reduce the purchase price if the cure has finally failed or if we have allowed an appropriate period of grace granted us by the orderer for the cure in writing to lapse without rectifying the defect. The orderer shall also have the above rights if the orderer has granted us an appropriate period of grace in writing with a warning that further cures will be refused and we have allowed that period to lapse without making a substitute delivery or rectifying the defect or if the cure is impossible or is refused by us.

7.4. In the case of a rectification of defects, we shall bear any and all expenses required for the purpose of rectifying the defects. A reimbursement of costs shall be excluded to the extent the expenses are increased because the goods have been moved to another place after our delivery unless this is in line with the intended use of the goods.

7.5. If the orderer has installed the defective purchase item pursuant to its type and its intended purpose in another item or put it onto another item, in the framework of subsequent performance we are obliged to compensate the orderer for the necessary expenditure for the removal of the defective purchase item and the installation or affixation of the subsequently-improved or delivered flawless purchase item. This shall not apply if the orderer is aware of the defect at the time of the installation or the affixation of the defective item. If the orderer remained unaware of a defect as a consequence of gross negligence, it can only claim reimbursement of the installation and removal costs such as rights at all due to the defect in the purchase item if we maliciously concealed the defect or gave a guarantee of the quality of the item.

7.6. Defect claims cannot be based on unsuitable or improper use, natural wear and tear, nor on damage which occurs as a consequence of incorrect or negligent handling, exclusive loads, unsuitable processing, etc. as well as such influences which are not intended pursuant to the contract, insofar as the damage is not attributable to fault on our part.

7.7. Our warranty is excluded in the case of modifications and repair work unprofessionally made to our products on the part of the orderer or third party as well as when using third-party duplicate keys.

8. Repairs

8.1. The remuneration for all repairs that are performed on products manufactured by us outside the warranty as defined in section 7, shall be governed by the then current price list plus statutory value added tax and shipping charges.

8.2. An estimate shall only be provided if this is explicitly requested. If products are sent to us without any explicit request, the repairs listed in the then current price list will be performed immediately and without a prior estimate. If the costs of the repair work exceed the top price category of the then current price list or in the case of a total loss, we shall notify the orderer thereof in writing. Estimates that are not approved shall be remunerated as stated in the price list applicable at the time.

8.3. The stipulations of sections 7, 11 and 12 shall apply accordingly to defects in the repair work and their limitation as well as our liability.

9. Return of goods

9.1. If the orderer desires to withdraw from the contract without a legal cause and if we consent to such withdrawal, we shall nevertheless charge a cancellation fee; even if we consent, we reserve the right to claim compensation for lost profit. Any goods returned shall be sent back to the previous place of despatch in their original package and all freight and expenses paid. For resalable items in perfect packaging, a credit note less 10% shall be issued; if repacking is necessary the deduction shall be 20%; the orderer shall have the right to furnish proof that we have suffered a lower damage. A return of manufactured items and cylinders for locking systems shall be excluded.

10. Software

10.1. Software will be delivered as a single licence; in our relation to the orderer, we shall be author within the meaning of sections 69a – 69g of the German Copyright Act (UrhG). Software may only be used for the own purposes. Demo versions will not be taken back.

11. Limitation of liability

11.1. For claims for damages based on fault regardless of the form of action, we shall only be liable if the violation of duty which gives rise to the claim is due to intentional behaviour or gross negligence – including intentional behaviour or gross negligence by our representatives or vicarious agents. This limitation shall not apply to claims for damages resulting from an injury to life, body or health or a violation of a material contractual duty.

11.2. To the extent our liability for damages is excluded or limited, this shall also apply to the personal liability of our employees and our vicarious agents.

11.3. In the case of a negligent, but not grossly negligent, violation of a material contractual duty by us or in the case of a grossly negligent, but not more serious, violation of a material contractual duty by simple vicarious agents used by us, our liability shall be limited to the compensation of the typical foreseeable damage. The same shall apply to liability for initial inability to effect performance, not however, for damages resulting from an injury to life, body or health and claims under the German Product Liability Act.

11.4. Damage in the form of lost profit shall only comprise the profit that would have been realized by the orderer with our delivery, not however, additionally the profit lost by orderer as a result in the case of a covering transaction because the orderer could have profitably exploited the performance used for the covering transaction otherwise.

11.5. If any third party asserts a claim against the orderer for which the orderer might have recourse against us, the orderer shall promptly inform us in full and involve us in the negotiations about the claim and shall enable us to actively defend against such claim or satisfy such claim for the orderer. If the orderer fails to fulfil these obligations, the orderer shall in the case of the recourse have the burden of proof to show that its compensation to the third party would not have been lower without our involvement and that it has fully performed its obligation to mitigate the damage. This shall also apply to any expenses that the orderer incurs to satisfy or avert such third-party claims. Otherwise, the orderer's rights pursuant to § 445a and § 478 of the German Civil Code (BGB) shall remain unaffected.

11.6. A reversal of the burden of proof is not associated with the provisions of this Clause 11.

12. Limitation of action

12.1. Any claims for defects pursuant to sec. 7 shall become time-barred after twelve (12) months as from the passage of the risk. If the defect relates to a consignment of goods that were used for a building in line with their usual manner of use and caused the deficiency of the building, the period of limitation shall be five (5) years as from the passage of the risk. Sentence 1 and sentence 2 shall not apply if the defect was concealed fraudulently or if the intended final user of the consignment is a consumer.

12.2. Unless the law prescribes a shorter limitation period, any other claims by the orderer shall be come time-barred no later than three (3) years after they have arisen irrespective of when they became known or should have become known.

12.3. The period of limitation in the case of a delivery regress pursuant to §445b of the BGB shall remain unaffected.

13. Retention of title

13.1. We retain the title to the delivered goods until the full satisfaction of all claims we have against the orderer under the business relations. The orderer shall have the right, which right may be revoked at any time,

General Terms of Delivery and Payment

to dispose of the goods that are subject to the retention of title in its ordinary course of business provided the orderer timely performs its obligations under the business relation with us. The orderer shall not have the right to pledge the goods that are subject to the retention of title nor assign the same by way of security. In the case of a credited resale of the goods that are subject to the retention of title, the orderer shall safeguard our rights. .

13.2. To the extent the goods that are subject to the retention of title are mixed, mingled or combined with other movable items that are not our property, we shall acquire an ad valorem co-owner's interest. The same shall be applicable in the case of any processing or transformation. It shall be assumed that such processing or transformation is made by our order.

13.3. In the case of the resale and the use of the goods that are subject to the retention of title as material for the performance of contracts for work, the orderer already now assigns to us any and all present and future claims the orderer may have against the purchasers or customers in this connection. In the case of a sale and/or performance of contracts for work together with other movable items that are not our property, said claims of the orderer are herewith assigned to us in the amount of a first ranking ad valorem partial sum, unless these accounts receivable have been assigned before to a supplier of the customer as part of an extended reservation of title. In this case, the claim for re-assignment of the account receivable shall be assigned to us, which assignment is herewith accepted. The orderer shall have the right, which right may be revoked at any time, to collect the assigned accounts receivable in its own name. The orderer shall at any time upon our demand demonstrate the existence of the accounts receivable assigned to us by way of security and shall name their debtors, attaching copies of invoices that must bear a note "Assigned to C.Ed. Schulte GmbH Zylinderschlossfabrik" that is properly signed and dated by the orderer, and if applicable stating the amount assigned.

13.4. If the orderer is in default with the payment of our accounts receivable in an amount other than an immaterial amount or if the orderer is culpable of a violation of any other obligations to us other than immaterial obligations, we may revoke the permission to dispose of the goods and to collect; the same shall apply if bills of exchange or cheques against the orderer are protested. If the orderer fails to pay all of our outstanding accounts receivable in full within two weeks after receipt of our revocations, we may take possession of the goods that are subject to the retention of title and disclose the assignment to the debtors. If judicial insolvency proceedings are instituted against the assets of the orderer or the institution of such insolvency proceedings is refused for lack of assets, we are entitled to immediately take back the goods that are subject to the retention of title.

13.5. In the case of the contractual partner's violation of its duties, including but not limited to a default on its payments, we may withdraw from the contract and take back the goods after an appropriate extension for performance granted to the contractual partner has lapsed without success. The statutory provisions concerning the dispensability of the setting of a period shall remain unaffected. The contractual partner shall be obliged to surrender possession. We may withdraw from the contract if an application is filed to institute insolvency proceedings against the assets of the contractual partner.

13.6. Upon request by the orderer we shall at any time release the above securities at our choice to the extent their value not only temporarily exceeds the nominal value of our outstanding accounts receivable including interest by more than 20%. To the extent we have acquired ad valorem rights as described above, our share shall correspond to the share of the value of our goods that are subject to the reservation of title in relation to the value of the goods of the orderer or of third parties, in each case based on the orderer's purchase values. Within the context of the release clause, assigned accounts receivable shall be valued at 80% of their nominal value, goods that are subject to a retention of title at their purchase value, and co-ownership interests at cost.

14. Specimens and manufacturing resources, patents

14.1. Unless agreed otherwise, the costs of production for specimens and manufacturing resources (tools, moulds, templates, etc.) shall be invoiced separately from the goods to be delivered. This shall also apply to manufacturing resources that must be replaced due to wear and tear.

14.2. If the contractual partner suspends or terminates the cooperation during the time in which the specimens and/or manufacturing resources are produced, any and all costs of production incurred until that date shall be borne by the contractual partner.

14.3. The manufacturing resources shall remain in our possession even if the contractual partner has paid the same, at least until the performance of the delivery contract. Thereafter, the contractual partner may demand the surrender of the manufacturing resources if a mutual agreement has been found on the time of surrender and if the contractual partner has fully performed its contractual obligations.

14.4. We shall keep the manufacturing resources free of charge for a period of three (3) years after the final shipment to our contractual partner. Thereafter we will request our contractual partner in writing to let us have its decision on the further use within six (6) weeks. Our obligation to keep the manufacturing resources in custody shall terminate if no such communication is received or no new order is placed within six (6) weeks.

14.5. In the case of a manufacturing based on models, data, drawings or designs of the orderer, the orderer shall be responsible for compliance with the property rights of third parties and shall fully indemnify us for and against any related claims.

15. Miscellaneous

15.1. The orderer shall not have any right of offsetting and/or retaining on account of counterclaims or rights unless these claims or rights have been acknowledged by us, are undisputed, or have been finally determined.

15.2. The orderer may not assign any claims to third parties unless with our consent.

15.3. Information on order filling including the creation of the locking plan will be acquired, processed and stored using electronic data processing systems.

15.4. Exclusive place of jurisdiction for any and all deliveries and payments, including cheques or bills of exchange accepted by us, shall be Velbert, Germany. However, we reserve the right to sue any orderer at our option also at its ordinary place of jurisdiction.

15.5. The contractual relationship shall be exclusively governed by German law. The application of the United Nations Convention on Contracts for the International Sale of Goods of 11 April 1980 (CISG – "Vienna Sales Convention") shall be excluded.

15.6. In the case of force majeure, labour disputes, unrests, official measures, non-receipt of supplies from suppliers and other unforeseeable, unavoidable and severe events, the contractual parties shall be released from their obligations for the duration of the disruption and to the extent of its effects. This shall also apply if these events occur at a time in which the contracting party affected is in default, unless such party has caused the default with intent or gross negligence. To the extent reasonable, either contracting party shall immediately provide the required information and adapt its obligations to the changed circumstances in good faith.

(Stand September 2020)

C. Ed. Schulte GmbH Zylinderschlossfabrik
Friedrichstraße 243
D-42551 Velbert
+49 2051 204 0
info@ces.eu

www.ces.eu

Subject to technical changes without notice · EN · V02 · 01.01.2026